أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Title

Material Submittal for UL Listed Addressable Fire Alarm Component

Brand

Context Plus

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

Index

- *Technical Data Sheets (Catalogues).*
- *UL Certificates.*
- *LPCB Certificates.*
- *Intertek Certificates.*
- *Certificate of Origin.*
- *Previous approval.*
- *Authorization Lettre.*
- *Shipment Conformity Certificate (Saber).*
- *Warranty Letter.*
- *Spare Parts Letter.*
- *Azeidk Co. Documents.*

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Technical Data Sheets (Catalogues).

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

FirePlus Addressable Fire Control Panel- UL LISTED



The ***FirePlus*** is an Intelligent Analogue Addressable Fire Alarm Control Panel that complies with the requirements of EN54-2 and EN54-4.

Compatible with the Context Plus range of UL Listed Detectors and Interfaces, the ***FirePlus*** offers a reliable fire detection system that is suitable for applications, both small and large.

Available from 1 to 6 Loops, the control panel can be networked for larger systems and provides users with powerful and versatile cause and effect programming ensuring the safety of personnel and asset protection at all times.

Powerful and flexible programming is achievable with the ***ConfigManager Plus*** programming tool which includes many pre-engineered programming functions. Simple system programming is easily achieved via the front panel.

www.contextplus.co.uk
Email: sales@contextplus.co.uk Tel: +44 161 257 2541 Fax: +44 161 225 8817
Context Plus Ltd, PROGRESS HOUSE, NEWBY INDUSTRIAL ESTATE, NEWBY ROAD, HAZEL GROVE, STOCKPORT SK7 5DA, UNITED KINGDOM

Specifications

Mechanical	
Dimensions Cabinet: (mm)	*505 (H) x 407 (W) x 150 (D)*
Material	*1.2mm Mild Steel*
Environmental	
Temperature:	*-5ºC to + 40ºC*
Humidity:	*25% to 95% non condensing*
IP rating	*IP30*
Mains Input	
Input Voltage:	*195 - 264VAC*
Protection (Quick Acting Fuse):	*-*
5 AMP Supply	*2Amp 3AG Slow Blow*
14 AMP Supply	*N/A*
Minimum Cable Requirements:	*Not less than 0.75mm²*
Power Supply	
Operating Voltage Range:	*20 - 28.2VDC*
Power Supply Ripple Voltage:	*<250mV*
Power Supply Output Current:	*5.6Amps*
Imax A	*3Amps*
Imax B	*5.5Amps*
Protection	*Current Limiting*
Batteries / Battery Charger	
Charger Float Voltage	*26.6-28.2VDC*
(Temp compensated):	*(27.3VDC nominal @ 20°C)*
Approved LPCB Battery:	*Genesis NP24-12R*
Battery Type:	*2x12V Sealed Lead Acid*
Max Battery Capacity:	*24AH*
Max Charger Current Limited:	*1.25A*
Battery Supply Current Limited:	*3A and 2A PTC*
Battery Low:	*<23VDC*
Battery Discharged Cut-off Voltage:	*<21VDC*
Max Battery Resistance	*0.75Ω*
Panel	
Quiescent Current (QI) 1 Loop	*220mA*
Max Number of Zone LEDs:	*64*
Loop	
Maximum number of Loops:	*4 , 6 with a separate battery enclosure*
Maximum Number of Zones:	*64*
Maximum Number of Devices:	*126 / loop*
Loop Current	*500mA / loop*
Cabling Requirements:	*2 core 1.5 -2.5mm² Max length 1km*
Fault supervision:	*O/C, S/C , over current*

www.contextplus.co.uk
Email: sales@contextplus.co.uk Tel: +44 161 257 2541 Fax: +44 161 225 8817
Context Plus Ltd, PROGRESS HOUSE, NEWBY INDUSTRIAL ESTATE, NEWBY ROAD, HAZEL GROVE, STOCKPORT SK7 5DA, UNITED KINGDOM

Outputs	
Supervised Alarm (Current Limited)	*24VDC @ 1A Max O/C, S/C, 10K EOL*
Alarm / Fault Relay Contacts	*24VDC @ 1A*
Auxiliary VDC – Protected	*24VDC @ 2A*
Cabling Requirements:	*2 core 1 -2.5mm2 Max length 1km*
Inputs	
Supervised	*O/C, S/C, 10K EOL*
Cabling Requirements:	*2 core 1 -2.5mm2 Max length 1km*
Communications	
Add-on Module Internal to FACP	*RS485*
External to FACP	*RS485*

www.contextplus.co.uk
Email: sales@contextplus.co.uk Tel: +44 161 257 2541 Fax: +44 161 225 8817
Context Plus Ltd, PROGRESS HOUSE, NEWBY INDUSTRIAL ESTATE, NEWBY ROAD, HAZEL GROVE, STOCKPORT SK7 5DA, UNITED KINGDOM

Description	Model
FirePlus UL-CON 1 loop Panel Expandable to 4 loops, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. UL LISTED.	ULP-CON1L
FirePlus UL-CON 2 loop Panel Expandable to 4 loops, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. UL LISTED.	ULP-CON2L
FirePlus UL-CON 3 loop Panel Expandable to 4 loops, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. UL LISTED.	ULP-CON3L
FirePlus UL-CON 4 loop Panel, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. UL LISTED.	ULP-CON4L
FirePlus UL-CON 5 loop Panel, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. Will require separate battery cabinet (ULP-BCG) to house the batteries	ULP-CON5L
FirePlus UL-CON 6 loop Panel, with 32 zone LEDS, PSU rated at 5.6 Amps, XP95/Discovery Protocol- Branded Context Plus. Will require separate battery cabinet (ULP-BCG) to house the batteries	ULP-CON6L
FirePlus UL-CON 1 loop Extender PCB. (*To extend 1 loop FirePlus panel to 2 loops: add one ULP-1L/XT. To extend 2 loop FirePlus panel to 3 loops: add one ULP-1L/XT + one ULP-TB. To extend 3 loop FirePlus panel to 4 loops: add ULP-1L/XT).*	ULP-1L/XT
FirePlus UL-CON DL plug-in Termination Board. *(Use only when extending 2 loop FirePlus panel to 3 loops)*	ULP-TB
Network Interface card (2wire)	ULP-NIC
SmartTerminal Repeater Driver Card - use only in the Main controller	ULP-RDC
SmartTerminal Repeater complete with 2Amp PSU, Grey colour	ULP-REP
High Level Interface board (HLI), converts the internal serial communications from the FirePlus UL-CON Fire Alarm Control Panel to RS232, RS485 & Modbus communication outputs	ULP-HLI

www.contextplus.co.uk
Email: sales@contextplus.co.uk Tel: +44 161 257 2541 Fax: +44 161 225 8817
Context Plus Ltd, PROGRESS HOUSE, NEWBY INDUSTRIAL ESTATE, NEWBY ROAD, HAZEL GROVE, STOCKPORT SK7 5DA, UNITED KINGDOM

MB3170 serial-to-Ethernet gateway. Provides the FirePlus UL-CON Fire Alarm Control Panel with TCP/IP connection to LAN/WAN networks. Use with High Level Interface board ULP-HLI	MB3170
Battery cabinet to house the batteries for FirePlus UL-CON 5 and 6 loop Panels, Grey colour (H300 x W405 x D150 mm)	ULP-BCG
32 Zone LED extender board (Zones 33 to 64)	ULP-32LED

Context Plus



CONTEXT PLUS

THE DORA RANGE

'XPERT' CARD ADDRESSED DETECTORS & BASES

Our XPERT Card addressed detectors utilise a unique addressing method where the address is held in the base and not the detector head. This means the address remains the same regardless of how many times a detector is replaced and allows different types of detecting heads to be swapped without the need for reprogramming.

The XPERT card is a plastic, coded card containing seven 'pips'.

The address is set by removing the 'pips' with a screwdriver and inserting the card into the side of the base. When the detector head is rotated into the base, the remaining 'pips' on the card operate the address buttons on the base of the detector and the address is read by the detector electronics.



10 Year WARRANTY

OPTICAL SMOKE DETECTOR XPERT CARD ADDRESSED



Addressable Optical Smoke Detector
55000-685IMC

DEVICE RESPONSE

Type: Overheating/thermal combustion
Response: Very good

Type: Smouldering/glowing combustion
Response: Good

Type: Flaming combustion
Response: Good

Type: Flaming with high heat output
Response: Good

Type: Flaming - clean burning
Response: Very poor

OPTICAL SMOKE DETECTOR, XPERT STYLE, 55000-685IMC

The Context Plus Addressable Optical Smoke Detector. Within the case is a printed circuit board which, on one side, has the light proof labyrinth chamber with integral gauze surrounding the optical measuring system and, on the other, the address capture, signal processing and communications electronics.

An infrared light emitting diode within its collimator is arranged at an obtuse angle to the photo-diode. The photo-diode has an integral daylight-blocking filter.

The IR LED emits a burst of collimated light every second. In clear air the photo-diode receives no light directly from the IR LED because of the angular arrangement and the dual mask. When smoke enters the chamber it scatters photons from the emitter IR LED onto the photo-diode in an amount related to the smoke characteristics and density.

Technical Data

Specifications are typical and given at 23°C and 50% relative humidity unless stated.

Communication protocol: Apollo XP95 pulse 5-9V

Detector Type: Products of combustion (smoke) detector

Detection Principles: Photo-electric detection of light scattered in a forward direction by smoke particles

Chamber Configuration: Horizontal optical bench housing an infrared emitter and sensor arranged radially to detect scattered light

Sensor: Silicon PIN photo-diode

Emitter: GaAs Infra-red light emitting diode

Sampling Frequency: 1 second

Supply Wiring: Two wire supply, polarity insensitive

Terminal Functions:

L1&L2	supply in and out connections (polarity insensitive)
+R	remote indicator positive connection (internal 2.2kΩ resistance to supply +ve)
-R	remote indicator negative connection (internal 2.2kΩ resistance to supply - ve)

Supply Voltage: 17 to 28 Volts dc

Quiescent Current: 340µA

Power-up Surge Current: 1mA

Duration of Power-up Surge Current: 1 seconds

Maximum Power-up Time: 4 seconds for communications (measured from application of power and protocol) 10 seconds to exceed 10 counts 35 seconds for stable clean air value

Storage Temp: -30°C to +80°C

Operating Temp: -20°C to +60°C

Alarm Level Analogue Value: 55

Clean Air Analogue Value: 25±7 counts

Alarm Indicator: Clear lens Light Emitting Diode (LED)

Alarm LED Current: 4mA

Remote LED Current: 5mA maximum

Type Code: (210 43) 101 00

Sensitivity: Nominal threshold of 2.1% light grey smoke obscuration per metre

Guaranteed Temperature Range **(No condensation or icing):** -20°C to +60°C

Humidity **(No condensation or icing):** 0% to 95% relative humidity

Wind Speed: Unaffected by wind

Atmospheric Pressure: Unaffected


Vibration, Impact & Shock: To EN54 Pt 7 (BS5445 Pt 7)

IP Rating: 33

Dimensions: (diameter x height)
Detector: 100mm x 39mm
Detector in Base:
100mm x 47mm

Weights: Detector: 105g Detector in Base: 161g

Materials: Detector Housing: White polycarbonate V-0 rated to UL 94 Terminals: Stainless Steel



Top section view - Optical Smoke Detector

TEMPERATURE DETECTORS XPERT CARD ADDRESSED

Context Plus



Addressable Heat Detector (A2S)
Part Number 55000-485IMC



Addressable Heat Detector (CS)
Part Number 55000-495IMC

DEVICE RESPONSE

Type: Flaming with high heat output
Response: Moderate/good

Type: Flaming - clean burning
Response: Moderate/good

Type: Flaming combustion
Response: Poor

Type: Overheating/thermal combustion
Response: Very poor

Type: Smouldering/glowing combustion
Response: Very poor

ADDRESSABLE HEAT DETECTOR (A2S), 55000-485IMC
ADDRESSABLE HEAT DETECTOR (CS), 55000-495IMC

Context Plus temperature (heat) detectors have a common profile with ionisation and optical smoke detectors but have a low air flow resistance case made of self-extinguishing white polycarbonate. They monitor temperature by using a single thermistor network which provides a voltage output proportional to the external air temperature.

The response to temperature increases of the standard temperature detector (part no: 55000-485IMC) enables the detector to be utilised as an EN54 Grade 2 heat detector.

To provide a device for use in ambient temperatures of up to 55°C, a high temperature detector (part no: 55000-495IMC) is also available. This has similar characteristics to the standard temperature detector at 25°C but reaches a 55 count (alarm) at 90°C.

Technical Data

Addressable Heat Detector (A2S)
Part No 55000-485IMC

Specifications are typical and given at 23°C and 50% relative humidity unless stated.

Communication protocol: Apollo XP95 pulse 5-9V

Detector Type: Fixed Temperature Heat Detector (software algorithm may be used for Grade 1 response)

Detector Principle: Linear approximation over temperature range 25°C to 90°C

Sensor: Single NTC Thermistor

Sampling Frequency: Continuous

Supply Wiring: Two wire supply, polarity insensitive

Terminal Functions:

L1&L2	supply in and out connections (polarity insensitive)
+R	remote indicator positive connection (internal 2.2kΩ) resistance to supply +ve)
-R	remote indicator negative connection (internal 2.2kΩ resistance to supply - ve)

Supply Voltage: 17 to 28 Volts dc

Modulation Voltage at Detector: 5 to 9 Volts peak to peak

Quiescent Current: 300µA

Power-up Surge Current: 1mA

Duration of Power-up Surge Current: 0.3 seconds

Maximum Power-up Time: 4 secs

Storage Temp: -30°C to +80°C

Operating Temp: -20°C to +70°C

Analogue Value at 25°C 25± 5 counts

Alarm Level 55 Counts: 55°C

Alarm Indicator: Red light emitting diode (LED)

Alarm LED Current: 4mA

Remote LED Current: 4mA at 5V (measured across remote load)

Type Code: (210 43) 110 00

Sensitivity: 25°C to 55°C: 1°C/Count. -20°C returns 8 counts

***Guaranteed Temp. Range* (No condensation or icing):** -20°C to +70°C

***Humidity* (No condensation):** 0% to 95% relative humidity

Wind Speed: Unaffected in fixed temperature use

Atmospheric Pressure: Unaffected

Vibration, Impact & Shock: To EN54 Pt 5 (BS5445 Pt 5)

IP Rating: 53

Dimensions: (diameter x height)
Detector: 100mm x 39mm
Detector in Base: 100mm x 47mm

Weights: Detector: 100g; Detector in Base: 157g

Materials: Detector Housing: White polycarbonate V-0 rated to UL 94; Terminals: Stainless Steel

---

Addressable Heat Detector (CS)
Part No: 55000-495IMC


Specifications are the same as those for the standard temperature detector described above, apart from the following points:

Detector Type: Fixed Temperature

Detector Principles: Linear approximation designed to give 25 counts at 25°C and 55 counts at 90°C

***Guaranteed Temp. Range* (No condensation or icing):** -20°C to +120°C

Sensitivity: 25°C to 90°C: 2·17°C / Count -20°C returns 20 counts



Sectional view - Temperature (Heat) Detector

XPERT CARD MOUNTING BASES & ISOLATORS



Intelligent Mounting Base
Part Number 45681-210IMC

INTELLIGENT MOUNTING BASE, XPERT STYLE, 45681-210IMC

Accepts all Context Plus Xpert card stlyle smoke and heat detectors. It is a zero insertion force base with dual finger receptacles of stainless steel into which the detector terminals slide. Cable connections of up to 2.5mm diameter are made via captive cable clamps.

Includes four double terminals (L1 = - line IN and OUT; L2 = + line IN and OUT; +R = remote LED positive supply; -R = remote LED negative supply) and one isolated single terminal that can be used to provide continuity of an earth or shield.

XPERT cards, are supplied with all bases. Consult the coding guide to determine which pips are to be removed. Pre-printed and pre-punched address cards that save time and increase accuracy during commissioning are available in sets (part number: 45682-127).

The base has a 'one way only' fit and detectors can be locked into the base by a grub screw with the aid of a 1.5mm hexagonal driver.



Isolating Base
Part Number 45681-284IMC

ISOLATING BASE, XPERT STYLE, 45681-284IMC

The Context Plus XP95 isolating base senses and isolates short circuit faults on loops and spurs. The base is loop powered, polarity sensitive and accepts the XPERT card to set the associated device address.

In short circuit conditions, the integral yellow LED is illuminated. The detector associated with the base remains active under short circuit conditions. Power and signals to the affected section are restored automatically when the fault is cleared. Under normal operating conditions, a low impedance is present between the – IN and – OUT terminals of the base, so that power and signals pass to the next base in the line.

If a short circuit or abnormally low impedance occurs, the fall in voltage is sensed and the base isolates the negative supply in the direction of the fault.

In applications where it is not necessary to use an isolating base for each detector, up to twenty devices (detectors and interfaces) may be installed between isolating bases, provided that their total switch-on surge current does not exceed 20mA.

Technical Data

Device Part No: 45681-284IMC
Maximum Loop Operating Voltage: 28V DC plus 9V protocol pulses
Minimum Normal Loop Operating Voltage: 17V DC
Power-up time: >10mS
Isolation Indicator: Yellow LED, lit continually in isolation condition
Current Consumption at 18V: 23µA
Current Consumption at 28V: 43µA
Current Consumption at 18V & adjacent sector isolated: 4mA

Maximum Line Current
Non-isolating continuous: 1.0A;
Transition into isolation: 3.0A
On Resistance: <0.2Ω
Operating Temperature: -20°C to +60°C
Storage Temperature: -30°C to +80°C
Relative Humidity (no condensation/icing): 0% to 95%
Dimensions: 100mm (diam) x 24mm (H); **Weight:** 100g
Materials: White polycarbonate moulding, nickel plated stainless steel.



Remote LED Indicator
Part Number BF318

REMOTE LED INDICATOR, BF318

The BF318 is a high quality LED indicator specifically designed for use in fire alarm systems. It incorporates a high-intensity wide-angle red LED which is clearly visible from the front of the plate when active. Its primary use is to indicate the activation of hidden or out-of-sight fire detectors. The front label includes a white 'write on' panel allowing installers to add their own personalised text such as equipment locations. The unit will fit on 16mm deep flush or surface mount back boxes. If connecting the BF318 to a smoke or heat detector, always refer to the detector manufacturers' instructions prior to installation to verify the connections. As the detector head's outputs will already be current limited, to ensure maximum brightness and visibility they should be connected directly to the Remote LED via its 'OV' and 'LED only' terminals.

TECHNICAL SPECIFICATION

Current rating using '0V' & 'LED only' terminals: This is dependent on the type/make of detector used. Current rating using 'OV' & '+30V Max' terminals: 10mA @ 30V d.c. (Max); 1.3mA @ 6V d.c. (Min).

UL LISTED POLYCARBONATE DUAL ACTION ADRESSABLE MANUAL PULL STATION



Polycarbonate Addressable Manual Pull Station & Back Box

FUNCTION

The Polycarbonate Addressable Manual Pull Station (PAMPS) is a state-of-the-art, dual-action device (i.e., requires two motions to activate) that includes an addressable interface for Context Plus compatible analogue addressable fire alarm panels. Because the PAMPS is addressable, the control panel can display the exact location of the activated station. This leads fire personnel quickly to the location of the alarm.

PART NUMBER:	DESCRIPTION:
56000-005IMC	Dual Action Manual Pull Station
56000-006IMC	Polycarbonate Surface Back Box

- Maintenance personnel can open station for inspection and address setting without causing an alarm condition.
- Status LED (red) is visible through the face of the station, flashes in normal operation and latches steady when in alarm. Flashing when polled is controlled by the panel.
- The "PUSH" handle latches in down position, revealing a yellow stripe to clearly indicate the station has been operated.
- Sems terminal screws are wire-ready for easy connection to SLC loop (accepts up to 12AWG/3.25 mm² wire).
- Can be surface mounted (using Back Box Part No. 56000-006IMC) or semi flush mounted. Semi-flush mounts to a standard single gang electrical box.
- Highly visible, attractive shape and textured finish with smooth dual-action design.
- Meets ADAAG controls and operating mechanisms guidelines (Section 4.1.3[13]); meets ADA requirements for 5lb. maximum activation force.
- Key reset
- Meets UL 38, Standard for Manually Actuated Signaling Boxes.

TECHNICAL DATA

Operating Voltage	17- 28 VDC
UL Listed to:	20 - 28 VDC
Current Consumption at 24V	
Standby	200µA
Alarm Current	3.6mA + Quiescent

DIMENSIONS

56000-005IMC Pull Station
4.25" W x 5.5" H x 1.1" D
(108mm x 140mm x 28mm)

56000-006IMC Surface Back Box
4.25" W x 5.5" H x 1.75" D
(108mm x 140mm x 45mm)

WEIGHT

Pull Station	.44 lbs (0.2 kg)
Pull Station and Back box	.72 lbs (0.33 kg)

SIGNALING UL LISTED

Context Plus Limited
175 Mauldeth Road
Manchester
M14 6SG
UNITED KINGDOM

Tel: +44 (0)161 257 2541
Fax: +44 (0)161 225 8817
Email: contextplus@xportsales.com
Web: www.xportsales.com
Web: www.contextplus.co.uk

Discovery UL Open-Area Sounder Beacon



The Discovery UL Open-Area Sounder Beacon makes full use of the Discovery protocol and has been designed for use in indoor, outdoor and open-areas. When the fire system is being commissioned a Magnetic Wand can be used to adjust and test each sounder locally.
15 tone pairs
Sounder and beacon are independently configurable

•Volume and tone settings are independently selectable from the control panel
•Tones can be used for other purposes in addition to
warning of fire, making the device ideal for use in schools etc.

Soft start option, ideal for hospitals and nursing homes
Group and global control for increased response time

58000-011 -Discovery UL Open-Area Sounder Beacon (Red Lens)

MADE IN UNITED KINGDOM

Context Plus Ltd, 175 Mauldeth Road, Manchester, M14 6SG, United Kingdom
Tel: +44 161 257 2541 Fax: +44 161 225 8817 Email: sales@contextplus.co.uk

XP95A Open-Area Sounder- 55000-041IMC



The Intelligent Open-Area Sounder has been designed for use in open areas and can be connected to any Discovery UL or XP95A system.

- For use with XP95A and Discovery UL systems
- Self-test fault monitoring
- Two volume settings 92dB(A) and 100dB(a)
- Synchronization of tones
- Individual and group addressing
- Red or white options
- Loop powered
- IP65 rated

Maximum Loop Current Consumption at 24V

- Normal standby <310µA
- Operated 28V Highest Audibility 5.4mA
- Operated Switch on surge <6mA for IS

MADE IN UNITED KINGDOM

Context Plus Ltd, 175 Mauldeth Road, Manchester, M14 6SG, United Kingdom
Tel: +44 161 257 2541 Fax: +44 161 225 8817 Email: sales@contextplus.co.uk

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

UL Certificates.

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

UL Product iQ®

EN 54 Part 4: Power Supply Equipment

COMPANY

CONTEXT PLUS LTD

Progress House
Newby Industrial Estate
Newby Road , Hazel Grove.
Stockport, SK7 5DA United Kingdom

S36045

Model No.	PSE Type
Fireplus Alarm Control Panel with 5 A power supply	
ULP-CON1L, FIREPLUS UL-CON, 1 Loop	Non-Integrated
ULP-CON2L, FIREPLUS UL-CON, 2 Loop	
ULP-CON3L, FIREPLUS UL-CON, 3 Loop	
ULP-CON4L, FIREPLUS UL-CON, 4 Loop	

CLICK HERE TO VIEW THE CERTIFICATE

Tradename and/or Trademark: "Context Plus",

Last Updated on 2024-01-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

UL Product iQ®

EN 54 Part 2: Control and Indicating Equipment

COMPANY

CONTEXT PLUS LTD

Progress House
Newby Industrial Estate
Newby Road , Hazel Grove.
Stockport, SK7 5DA United Kingdom

S36045

Model No.	Communication	Control Unit Type	EN 54-2 Options with Requirements	Accessories/Components
Fire alarm control panel				
ULP-CON1L, FIREPLUS UL-CON, 1 Loop ULP-CON2L, FIREPLUS UL-CON, 2 Loop ULP-CON3L, FIREPLUS UL-CON, 3 Loop ULP-CON4L, FIREPLUS UL-CON, 4 Loop	Addressable	CIE	7.8, 7.9, 7.9.1, 7.9.2, 7.11, 7.12.1, 7.12.2, 7.12.3, 8.3, 8.9, 9.5, 10	PSU1888 Power Supply, BRD86BPSC Brigade and Power Supply Control Board, BRD86MBA Main Board, BRD8MCPU Main CPU Board, BRD86FPB Front Panel Board, BRD86DLTB Dual Loop Termination Board

EN 54-2 Options with Requirements:

7.8 Output to fire alarm devices

7.9.1 Output to fire alarm routing equipment

7.9.2 Alarm confirmation input from fire alarm routing equipment

7.11 Delays to outputs

7.12.1 Type A dependencies

7.12.2 Type B dependencies

7.12.3 Type C dependencies

8.3 Fault signals from points

8.9 Output to fault warning routing equipment

9.5 Disablement of each address points

10 Test condition

CLICK HERE TO VIEW THE CERTIFICATE

Tradename and/or Trademark: "Context Plus",

Last Updated on 2024-01-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

UL Product iQ®

EN 54 Part 7: Point-type Smoke Detectors

COMPANY

APOLLO FIRE DETECTORS LTD
36 BROOKSIDE RD
HAVANT, P09 1JR United Kingdom

NC12329

Model No.	Communication	Principle	Date of Manufacture	Firmware Version
Smoke detector				
55000-685(a)	Addressable	Photo	2020-06-16	34000-163
55000-316(b)	Conventional	Photo	2021-11-25	N/A
55000-885(a)(c)	Addressable	Photo	2021-11-25	34000-063 Iss 4

(a) Compatible with model 45681-210 Detector Mounting Base

(b) Compatible with model 45681-200 Detector Mounting Base

(c) No evaluation of the supplemental temperature sensor to EN54-5

Date of Manufacture identifies the manufacturing start date of all product models that will use the specific Time of Manufacture Firmware Version.

Firmware Version identifies a numerical and/or alphabetical series designation that is product and date-code specific and will only identify the Firmware Version at the time the product was manufactured. The numerical and/or alphabetical sequence is defined by the manufacturer.

CLICK HERE TO VIEW THE UL-EU-01279-EN CERTIFICATE

CLICK HERE TO VIEW THE UL-EU-01283-EN CERTIFICATE

CLICK HERE TO VIEW THE UL-EU-01284-EN CERTIFICATE

Last Updated on 2023-11-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

UL Product iQ®

EN 54 Part 5: Point-type Heat Detectors

COMPANY

APOLLO FIRE DETECTORS LTD
36 BROOKSIDE RD
HAVANT, P09 1JR United Kingdom

NC12329

Model No.	Communication	Alarm Temp Rating, °C	Class	Suffix
Heat detector				
55000-485(a)	Addressable	55	A2	S
55000-495(a)	Addressable	90	C	S
55000-121(b)	Conventional	57	A1	R
55000-131(b)	Conventional	90	C	R

(a) Compatible with model 45681-210 Detector Mounting Base

(b) Compatible with model 45681-200 Detector Mounting Base

CLICK HERE TO VIEW THE UL-EU-01280-EN CERTIFICATE

CLICK HERE TO VIEW THE UL-EU-01281-EN CERTIFICATE

CLICK HERE TO VIEW THE UL-EU-01282-EN CERTIFICATE

Last Updated on 2023-11-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

UL Product iQ®

Boxes, Noncoded

See General Information for Boxes, Noncoded

CONTEXT PLUS LTD S25369
Progress House
Newby Industrial Estate
Newby Road , Hazel Grove.
Stockport, SK7 5DA UNITED KINGDOM
Manual Signaling Box, Addressable, Model 56000-005IMC, rated 17-28 V dc.

Accessories: Back box, Model 56000-006IMC.

Last Updated on 2013-11-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

UL Product iQ®

Audible-signal Appliances

See General Information for Audible-signal Appliances

CONTEXT PLUS LTD
Progress House
Newby Industrial Estate
Newby Road , Hazel Grove.
Stockport, SK7 5DA UNITED KINGDOM

S36323

Device	Model	Installation Location	Enclosure Ratings: Type Rating Per UL 50	Enclosure Ratings: IEC "IP" Rating
Sounder Beacon	58000-011IMC	Indoor/Outdoor	None	None
Sounder	55000-041IMC	Indoor/Outdoor	None	None

Last Updated on 2020-02-24

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

Cookies on UL Solutions
We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. Learn more

Cookies Settings Reject All Accept All Cookies

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Certificate of Origin.

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

1 Consignor
IMCI Services Limited
Progress House, Newby Road,
Hazel Grove, Stockport SK7 5DA
England
United Kingdom

Tel No 0161 257 2541 Fax No 0161 226 8817

No. FJ 1397817

ORIGINAL

CI-APO 13446 A

UNITED KINGDOM

CERTIFICATE OF ORIGIN

2 Consignee
Azeidk Establishment for Safety
Kilo 5
Old Makkah Road
Jeddah
SAUDI ARABIA

3 Country of Origin
United Kingdom

4 Transport details (Optional)

5 Remarks

6 Item number; marks; numbers, number and kind of packages; description of goods	7 Quantity
APO 13446 A/Jeddah/ SAUDI ARABIA FIRE ALARM COMPONENT 3 x Pallets As per Invoice Number CI-APO 13446 A dated 20/10/2022	Total Gross: 503 KG

8 THE UNDERSIGNED AUTHORITY CERTIFIES THAT THE GOODS DESCRIBED ABOVE ORIGINATE IN THE COUNTRY SHOWN IN BOX 3

GREATER MANCHESTER CHAMBER OF COMMERCE

Greater Manchester Chamber of Commerce

ELECTRONIC CERTIFYING STAMP
22 Nov 2022
Certificate Number: FJ1397817

Authorised by H M Government

Kathryn Hoggitt
AUTHORISED SIGNATORY

CERTIFICATE OF ORIGIN

Place and date of issue: name, signature and stamp of competent authority

UK-CBE14520-4260035-E
www.ecert.sgs.com

Mercury Print & Packaging Ltd, Leeds

Previous approval

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

شركة سفر للتجارة والمقاولات المحدودة
Safar Trading & Contracting Co. Ltd.

dar شركة دار الهندسة للتصميم والاستشارات الهندسية

كدانة KIDANA

الهيئة الملكية لمدينة مكة المكرمة والمشاعر المقدسة

CONTRACTOR : Safar Trading & Contracting Co. Ltd. | Date : **10-Mar-2022**

☑ New Submittal / ☐ Resubmittal	PRQ	Submittal Ref. No.:	DEPARTMENT					
			AR	CV	ST	ME	EL	LC
		MINA-C-GEN-SFR-PRQ-EL-ELC-00038-00	☐	☐	☐	☐	☑	☐

☐ **Material Submittal** ☐ **Sample Submittal** ☑ **Pre-qualification** ☐ **Method Statement** ☐ **Other**

To : DAR AL- HANDASAH

1. Subject: PUBLIC ADDRESS SYSTEM. FROM Context Company.

2. Submittal Description:

PREQUALIFICATION FOR AZEIDK FOR FIRE ALARM FROM Context Company.

Received
10 MAR 2022
dar

Area Of Application : Mina camps and toilets Upgrade PK-2, PK-4 , toilet pk2

Drawing Ref. :

Specification Ref. : SECTION 275116

Attached PRQ Approval Copy : **Code** :

Attachments	No.
Sample Board	
Catalogue	√
Product Warranty	
Test Report	
Tech. Data	
Pre-Qualification	√
Compliance Statement	
Drawings	
Supplier Calculation	
Reply of comments	
Certificates	√
Method Statement	

Note: Original attachec ☑ Soft copy attached: ☑

3. MANUFACTURER / SUPPLIER:

Manufacturer & Address : **Context Company.**

Supplier & Address : **Azeidk.**

4. SBG Comments: ☐ Please proceed ☐ Refer to attached sheet

Submitted by	Name:	Eng.AbdAlguom Bashir	
	Signature		
DAR	Name:	Eng.Mohamed Ijmail	
	Signature		

شركة سفر للتجارة والمقاولات

This section will be used by Approving Authority only.

5. ENGINEER'S REPRESENTATIVE'S COMMENTS:

approved

A). Approved ☑

B). Approved as Noted ☐

C). Revise & Resubmit ☐

D). Rejected ☐

Eng. Name M. Ijmail Title Maf-S.E Signature Date 12/3/2022

Approval shall not relieve the Contractor of its obligations and liabilities under the Contract or constitute authorization of any change to Contract Documents, and therefore shall not imply any recognition whatsoever of additional time and/ or cost.

Document Submittal Form

Submittal Ref.	01101-SPC-MAT-ELE-000044	Revision	01	Date	26-11-2024
Project Title	**Almanar phase 1**				
Package					
Client	ROSHN Real Estate Company				
Engineer/Consultant	Hill International				
Contractor	Saudi Pan Kingdom Company (SAPAC)				

Discipline ☐ Civil ☐ Architecture ☐ Mechanical ■ Electrical ☐ Geotechnical (GEO)

Material Details		**List of Enclosure**
Specs. / BOQ / Drawings Reference	Specs: (ROSHN) Specification: SECTION 28 31 00 BOQ: Part 2 - Irrigation Pumping Station Fire Detection and Alarm System	PQL/ Copy of related spec's /BOQ
Specified Material	Addressable Fire Alarm Component.	COMPLIANCE
Proposed Material	Addressable Fire Alarm Component.	
Manufacturer / Local Supplier	AZEIDK Company	Others (Specify) Pre-Qualification
Reason for Alternative (if any)		
Remarks		

Contractor Signatures & Stamp:

Discipline Engineer	QA/ QC Manager	HSE Manager	MEP/Technical Manager	Construction Manager
Eng. Javed	Eng. M. Ahmad	Eng. A Kareem	Eng. Ibrahim	Eng. Tanveer Ahmad

Received By Engineer:

Name		**Signature**		**Date/ Time**	

Submittal Status:
☑ A- Approved ☐ B- Approved with Comments ☐ C- Revise and Resubmit ☐ D- Rejected

Engineer's Comments:

Approved

	Name	**Signature**	**Date**
Reviewed by (Engineer)	Ahmed Araby		03/12/2024
Approved by (Engineer)	Ala'a K.		04/12/2024
Received By (Contractor)			

Distribution:

☐ Engineer	☐ Contractor	☐ Others (Specify)	……

AAW & PARTNERS

المراسم الملكية

المحترفون المتطورة
Advance Professionals

PAGE 01 OF 01

ROJECT NAME: مشروع انشاء مطبخ مركزي نموذجي بقصر الزاهر بجدة
LOCATION: قصر الزاهر – جدة

DOCUMENT TRANSMITTAL/ SUBMITTAL

المستندات المقدمة

REF. NO.: 102 رقم:
DATE: 28/07/2024 تاريخ :

SUBMITTAL NO: MEC-MS-102R0

☒ New Submittal ☐ Re- Submittal

DISCIPLINE:

CIVIL ☐ ARCHITECTURAL ☐ STRUCTURAL ☐ MECHANICAL ☒ PLUMBING ☐ ELECTRICAL ☐ GENERAL ☐

ENCLOSURES (مرفقات)

Drawings ☐ مخططات material submittal ☒ مواد catalogs ☒ كتالوج Request for inspection ☐ طلب استلام اعمال

Specification ☒ مواصفات sample ☐ عينة sketch ☐ سكتش supplier ☐ مورد lab ☐ معمل - مختبر

test date ☐ بيانات اختبار schedule ☐ جداول report ☐ تقارير clarification ☐ توضيحات others ☐ اخرى

DRWG. NO. مخطط رقم / SPECS. NO: رقم المواصفة	رقم المراجعة REV.	بيـــــان DESCRIPTION	عدد النسخ NO. OF COPIES
	0	AUTOMATIC FIRE Alarm System – CONTEXT PLUS	1
		ATTACHED: TECHNICAL DATA SHEET	
		ATTACHED: PREVIOUS APPROVALS	

ANY REVIEW/APPROVAL FROM THE ENGINEER SHALL NOT RELIEVE THE CONTRACTOR OF HIS OBLIGATION TO PERFORM THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

ITEM NO BOQ: البند بجدول الكميات أو العقد:

LOCATION / USE مكان الاستخدام: قصر الزاهر جدة

شركة المحترفون المتطورة للتجارة والمقاولات المحدودة
ملاحظات وتوصيات المهندس الاستشاري
مشروع المطبخ المركزي - قصر الزاهر
إدارة المشاريع

CO-ORDINATOR:
Name: AHMED SAMEH
Signature & Date:

REVIEWED BY:
Name: Ghadi Wazdan
Signature & Date:

CONSULTANT REPRESENTATIVE APPROVAL & COMMENTS:

١. لا مانع من اعتماد لوحة التحكم ذ ٢٠٠ مع ٢ حلقة
context plus 14 loops
٢. أن تكون اللوحة من الـ Listed
brand نفس الـ
٣. أن تكون كواشف الدخان والحرارة وجرس إنذار من نفس الـ

NAME/SIGNATURE: DATE/STAMP:

ACTION CODES:
A) Approved (موافقة) B) Approved As Noted (موافقة بملاحظات) C)Revised And Re-Submit (تعديل واعادة تقييم) D)Rejected(مرفوض)

OWNER REPRESENTATIVE APPROVAL & COMMENTS:

٤. توصيل الكواشف كما هو مبين بالكتالوج
٥. أن يتم تركيب الكواشف بالسقف وداخل شرشان الكابلات (Under ground)
٦. أن يتم ربط اللوحة مع انذار الحريق
٧. لتفعيل اللوحة نجب انه يكون كاشف الدخان + الحرارة activated سوياً

ACTION CODES:
A) Approved (موافقة) B) Approved As Noted (موافقة بملاحظات) C)Revised And Re-Submit (تعديل واعادة تقييم) D)Rejected(مرفوض)

NAME:

اعتماد المالك
١٢ لوحة الله حسبنا ملك
٣٠-٤-١٩٤٠

الختم

Scanned with CamScanner

إدارة العامة للمشاريع والصيانة
إدارة المشاريع

وزارة الحج و العمرة
MINISTRY OF HAJJ AND UMRAH

نموذج رقم (م١٢)

طلب اعتماد مواد

اسم المشروع :	مشروع مستودع ارض الهاوة بمحطة حجاج البر بالمدينة المنورة			المقاول:	وزارة الحج و العمرة - إدارة الدراسات و التصاميم
المستشاري:	وزارة الحج و العمرة - إدارة المشاريع			نوع التقديم:	☐ جديد ☐ إعادة تقديم
رقم التقديم:		المسلسل:		تاريخ التقديم:	
رقم التقديم السابق:		تاريخ التقديم السابق:		المصنع/الماركة:	
البند المنشأ:				المورد:	

المرفقات				نطاق الأعمال	
☑ عينات	☐ كتالوج	☑ شهادات	☐ نشرة فنية	☐ دليل الاستخدام	☐ مدني	☐ معماري
☐ مخططات	☐ اعتمادات سابقة	☑ شهادة ضمان	☐ شهادة ضمان الصانع أو المورد	☑ كهرباء	☐ ميكانيكا
☐ حسابات	☐ نتائج اختبارات	☐ أخرى:		☐ أخرى:	

معلومات المادة

رقم البند	وصف البند	مواصفات المادة المقدمة
٦-١	نظام الإنذار (لوحة الإنذار - لوحة التكرار)	نظام النذار كاملا من انتاج شركة كونتكس (انجليزي)
٦-٢		
٦-٣		
٦-٤	نظام الإنذار (كاشف حراري- كاشف دخان -كاسر-جرس - محطة انذار يدوي)	
٦-٥		
٦-٦		

قرار المقاول: يقر المقاول بأن العينة المقدمة متوافقة بشكل تام مع المخططات والعقد والمواصفات عدا ما ذكر في خانة الاستثناءات، وأن الاعتماد لا يعفيه من التزاماته التعاقدية.

الاستثناءات:

معلومات مقدم الطلب	
الاسم:	
التوقيع/الختم:	
التاريخ:	

سمات السعودية
South samot
C.R.: 4031044308
C.C.R.: 21042

راي أعضاء لجنة الاعتماد:

A يعتمد | B يعتمد مع وجود ملاحظات | C يعاد التقديم مع وجود ملاحظات | ☑ D مرفوض

التعليق والملاحظات: (اعتماد المواد والمخططات لا يعفي المقاول من التزاماته التعاقدية)

تقديم عينات حية وشهادات الضمان وشهادات الاعتماد من الجهات ومن مشاريع سابقة وتعديل الملاحظات الواردة

الاعتماد

	لجنة اعتماد العينات			المهندس المشرف	
الاسم	م / سعود المزين	م / يحي مدخلي	م / ياسر سعيد	م / حسين ميره	م /محمد أمين	م/ محمد الشريف
التوقيع						
التاريخ		١٤٤٢/١٠/٧			١٤٤٢/٩/٢٢	

الأصل . إدارة المشاريع

ص. للمقاول

Material Submittal

شركة أزيدك للأجهزة السلامة

OWNER	: جمعية خيركم لتعليم القرآن الكريم وتحفيظه		
CONSULTANT	: الأبنية الحديثة	**Document No.** :	**MS-Mech-F.F-14**
CONTRACTOR	: **Azeidk Co. for Safety**	**Date** :	**06/07/2024**
PROJECT	: فندق لحظات	**Project No.** :	
LOCATION	:		

Project	فندق لحظات	Submittal No.	MS-Mech-F.F-14	Ref. Spec 's	
Ref. Dwg.		Date	6/07/2024		

Description:

Addressable Fire Alarm System - Context Plus - U.K

■ Catalogue ☐ Drawing ☐ Sample ■ Certificate ☐ Others

Having Checked this submittal, we certify it conforms to the requirements
Of the contract Documents in all respects, except as otherwise indicated herein

.....

.....

.....

.....

.....

.....

Contractor: Azeidk Co. for Safety **Signature**: ..... **Date**: 06/07/2024

ACTION

☑ Approved
☐ Approved As Noted
☐ Approved As Noted / Resubmittal Required
☐ Not Approved

Remarks/Comments

.....

.....

.....

.....

.....

.....

.....

.....

Profession	Name	Signature	Review Date
Site Manager	محمد البلاشي		
Civil/Structural Engineer			
Electrical Engineer			
Mechanical Engineer			

للاستشارات الهندسية MODERN BUILDING FOR CONSULTANT

☑ A APPROVED
☐ B APPROVED AS NOTED
☐ C REVISE AND RESUBMIT
☐ D REJECTED

MB BUREAU REPRESENTATIVE SIGNATURE

Jan 7 - 2024

Material Submittal form

Submittal Ref:	SPC-OTCE-MK11-TSL-ELE-16	**Rev:**	00	**Date:**	11/12/2023
Program Title:	Developmental Housing Project of MOH WAVE #7				
Project Title:	Implementation of the housing development project units for the Al-Sadan project, (Contract No22000272) Alkhomra -Jeddah				
The Employer:	NHC - National Housing Company				
Third party:	Dar Al Riyadh				
Consultant:	O T C E Saudi Engineering Consulting Co.				
Contractor:	Saud Alsaadi & Partners Co. General Contracting & Trading (SPC)				

Guidance Notes:

The submission should only include materials which are compliant with the SOPR and CODE requirements and have been reviewed and coordinated between the Contractor and Designer (and Engineer if applicable) and should include any authorised variations / changes as instructed.

Review Discipline:

Architectural ☐	**Structural / Civil** ☐	**Mech / Plumb** ☐	**Elec.** ☒	**Others (Specify)** ☐

Material Details

Proposed by:

The Contractor		**The Consultant (Designer & The Engineer)**		**Specialist / Sub-Contractor**
Sign/ Stamp		**Sign/ Stamp**		**Sign/ Stamp**

Material Information & Checklist

Location /element Ref:	The Title: ELECTRICA PRODUCTS - Fire Alarm	Checklist of Attachments:	
Specified Material:	Fire Alarm – Context Plus	Drawing / Specification	☐
Proposed Material:	Azidek – Fire alarm	Product Datasheet	☒
SOPR/CODE Ref(s):		Compliance Certificates / Documents	☐
Manufacturer & Product code ref:	Supplier : azidek - Manufacturer/Brand : context plus	Compliance Statement	☐
Remarks / Notes:	SPC-OTCE-MK11-SAT-ELE-14	Sample (available)	☐

THE ENGINEER*	Review Date:	11/12/2023	Rejected	Approved	Signed:	#
	Print Name:	*Omar Labib*		✓		

Dar Al Riyadh	Recommendations to NHC Date:	12-12-2023	Objection	No Objection	Signed:	#
	Print Name:	*A R Khalil*		✓		

NHC	Review Date:		Objection	No Objection	Signed:	#
	Print Name:	#	#	#		

OWNER	CONSULTANT	CONTRACTOR
العربية للمراكز التجارية Arabian Centres	BUILD IN CONSULTING	Azidek أزيدك

PROJECT NAME: DANUBE - JEDDAH PARK	LOCATION: JEDDAH

MATERIAL SUBMITTAL / APPROVAL SHEET

☑ NEW SUBMITTAL	☐ RE-SUBMITTAL	SUBMITTAL DATE: 20/4/2022	SUBMITTAL NO.: MS-ELEC-1	REV.: 00

PURPOSE OF SUBMITTAL: ☑ FOR APPROVAL ☐ FOR COMMENTS ☐ FOR INFORMATION

DISCIPLINE: ☐ MECHANICAL ☐ Firefighting ☐ CIVIL ☑ ELECTRICAL ☐ H. V. A. C. ☐ PLUMBING ☐ OTHERS... Specify: Fire Alarm

MATERIAL NAME:	Adressable Fire Alarm System (Smoke and heat Detector - Sounder With Flasher - Manuall pull station - Monitor and Control Module)	ORIGIN:	United Kingdoom
BOQ. REFERENCE:		MANUFACTURER/SUPPLIER:	Context - Plus
SPECS. REF.:		SUPPLIER:	
DRAWING REF.:		MATERIAL DELIVERY PERIOD:	Stock
LOCATION:	JEDDAH	MATERIAL REQUIRED AT SITE:	Danube Jeddah PARK
QUANTITY:		SAMPLE ATTACHMENT:	
B. S. REFERENCE:		CERTIFICATE ATTACHMENT:	

WARRANTY FROM THE MANUFACTURER / SUPPLIER:

CONTRACTORS REMARKS (If any:)

CONSULTANTS COMMENTS:

APPROVED ADDRESSABLE FA SYSTEM (SMOKE, HEAT DETECTOR, SOUNDER WITH FLASHER - MANUAL PULL STATION AND CONTROL MODULE CONTEXT PLUS AS PER CATALOGUE INSTALLATION SHOULD BE AS PER NFPA 72

مؤسسة أزيدك للسلامة Azidek Safety Foundation

CONTRACTOR		CONSULTANT	
NAME:	Samir Mohamed	NAME:	MOHAMMED A. EDREES
POSITION:	Electrical Engineer	POSITION:	Consultant Engineer
SIGNATURE:		SIGNATURE:	
DATE:	20/4/2022	DATE:	21-4-2022

APPROVAL STATUS: ☐ A MATERIAL APPROVED ☐ B APPROVED WITH COMMENTS ☐ C MATERIAL REJECTED

RECEIVED BY: (CONSULTANT)	SIGNATURE: DATE:	RECEIVED BY: (CONTRACTOR)	SIGNATURE: DATE:

مشروع أعالي جدة

MATERIAL SUBMITTAL

RECEIVED 28 SEP 2022 Solaiman A. El Kharaji Consultant SAK

القسم TRADE	ELECTRICAL / LOW CURRENT	Submittal No : رقم الطلب NEA-GS-776	Revision No : مراجعة رقم
Specs. Code & Ref / رمز التوصيف و المرجع	B.O.Q. Code Ref / رمز التصنيف في جداول الكميات	Part No / رقم القسم	Date Submitted: 28/SEP/2022 تاريخ التقديم
			Date Returned: تاريخ الارجاع

No. رقم	Description البيان
	APPROVAL FOR FIRE ALARM SYSTEM
	SUPPLIER: AZEIDK FOR CONTRACTING
	MATERIAL DESCRIPTION:
	1. SMOKE DETECTOR / MODEL NO.: 55000-326IMC / SERIES 65A / BRAND: CONTEXT PLUS / CONTEXT PLUS COMMON BASE, 45681-200IMC
	2. MANUAL CALL POINTS / SA5900-908IMC / BRAND: CONTEXT PLUS.
	3. ALARM BELL / BRAND: CONTEXT PLUS.
	4. CONVENTIONAL FIRE DETECTION PANELS / 2 ZONE / BRAND: CONTEXT PLUS.
	ATTACHMENT:
	TECHNICAL DATA
	MATERIAL SAMPLE
	UL CERTIFICATE

شركة أبياتنا العقارية
Abyatona Real Estate Co.
مشروع الأمير فواز الجنوب - أعالي جدة
خاص بإجتماعات المعاملات الفنية
سجل تجاري: 1010504729

Details التفاصيل

Submitted for الغاية من التقديم	
Approval	الموافقة ☑
Information	الاستعلام ☐
Coordination	التوافق ☐
Review	المراجعة ☐

Trade الموضوع	
Structural	عظم/انشائي ☐
Architectural	معماري ☐
Mechanical / Plumbing	ميكانيك/سباكة ☐
Civil defence	☐
Electrical	كهرباء ☑

Attachment المرفقات	
Certificates	الشهادات ☑
Tech. Brochure	منشور تقني ☐
Manufacturer's Data & Specs.	الصانع والمواصفات ☐
Shop Drawings	الرسم البياني ☐
Sample	عينة ☐
Manual	كتيب تعريف ☐
Data file	ملف بيانات ☐
As Built Drawings	مخطط على الواقع ☐
Warranty	ضمان ☐
Others (Specify)	أخرى (تذكر): ☐

For Contractor خاص بالمقاول

Prepared by / إعداد
28-09-2022
Resident Engineer / مهندس الموقع

Submited By / تقديم
28-9-2022
Tech. Off. Manager / مدير المكتب الفني

Noted by / ملاحظ
Project Manager / مدير المشروع

USE ONLY / خاص بالاستشاري

Received by / المستلم

Name / الاسم Signature/التوقيع Date: / /2022 التاريخ:

Remarks:

* لدى مانع من اعتماد مؤسسة أزيدك للمواد السعوديه وذلك لتوريد وتشغيل واختبار نظام انذار الحريق من نوعية Context Plus ضمان الشركة مع ضرورة الالتزام بالملاحظات التالية
1. ضرورة تقديم المخطط الانشائي النهائي ختم الشركة مع ضرورة ربط النظام مع المصاعد ونظام التهوية
2. ضرورة الالتزام بالربط والمتطلبات الخاصة بالدفاع المدني بان يكون الاعتماد النهائي من خلالنا
3. ضرورة تقديم أصل شهادات الاختبار وشهادات الضمان وشهادات المنشأ موثقة من الجهات المعنية
4. يلتزم المورد بتدريب الكوادر المكلفة بالتشغيل مع النظام مع التصوير بكوبير وقطع الغيار
5. ان يكون جميع مكونات النظام مطابقة للمواصفات القياسية السعودية
6. ضرورة تقديم ليزنس الكاشف المعتمد

Taken / المأخوذ

مكتب سليمان عبد الله الطويل الاستشاري
C.R. 1010289051

Resident Engineer مهندس الموقع
Signature / التوقيع
Date 1-10-2022 التاريخ

Approved	مقبول	☐ A
Approved with comments	مقبول مع وجود ملاحظات	☑ B
Revise and Resubmit	يصحح ويعاد تقديمه	☐ C
Rejected	مرفوض	☐ D

Approval or correction of comments made relative to submittal during this review do not relieve the Contractor from compliance with the requirements of the drawings or specifications.
This check is only for review of general conformance with the design concept of the project and general compliance with the information given in the Contract documents.
The Contractor is responsible for confirming and correlating all quantities and dimensions, selecting fabrication processes and techniques of construction, coordinating his work with that of other trades, and performing his work in a safe, timely, and satisfactory manner.

Distribution / نسخة إلى

☐ ☐ OWNER المالك ☐ ☐ CONSULTANT الاستشاري ☐ ☐ CONTRACTOR المقاول

Received / المستلم

Contractor's Signature / توقيع المقاول ٢٨/٩/٢٠٢٢

ZUHAIR FAYEZ PARTNERSHIP	MINISTRY OF DEFENSE	Art of foundations
CONSULTANT	CLIENT	CONTRACTOR

DOCUMENT SUBMITTAL
PROJECT NAME: Military police housing

SUBJECT: Fire Alarm & CCTV Camera – Prequalification

Specs. Code & Ref.	B.O.Q. Code Ref.	Drawing No.	Submittal No. DW-MP-EL-DC-016 Date Received: ~~13-12-2021~~ Date Returned: 15-12-2021

Sub-contractor
Name: AZIEDK Address:
Address: Phone: Telex:

Manufacturer
Name: AZIEDK
Address: JEDDAH
Phone: 0126880407
Fax: Telex:

Supplier/Agent
Name: AZIEDK
Address: Jeddah
Phone: 012-6880407
Fax: Telex:

Information submitted and attached:

Certificates	☑	Operation & Maintenance Manual	☐
Technical Brochure	☐	Spare Parts List	☐
Manufacturer's Data & Specs.	☑	As Built Drawings	☐
Shop Drawings	☐	Warranty	☐
Samples	☐	Others (specify)	☐

Contractor's Comments:

(4) CONTRACTOR SHALL PROVIDE UPDATED AUTHORIZATION LEETER FROM SUPPLIER AFTER RENEWAL FROM FIRE ALARM SYSTEM MANUFACTURER.

☐ See Attachment

Note: This review does not relieve the contractor of his responsibilities under the terms of the contract nor authorize additional compensation.

(Contractor)
Signature :
Date : 13-12-2021

Consultant's Comments (1) "AZIEDK" as Supplier and "Context plus" as Brand for "Addressable firealarm System is technically acceptable. ...
(3) * "HIKVISION" as Brand for CCTV Camera is acceptable. Contractor shall provide Warranty Certificate from Supplier.

☐ Attachment

Status:		Discipline		Sign & Date	Resident Engineer	Client Note
A - Approved	☐	■	Arch			
B -Approved as noted	☑	☐	Civil		Sign :	Sign:
C - Revise and submit	☑	☐	Mech		Date:	Date:
D - Rejected	☐	☒	Elect	19/12/21 (TOUFEEQ)	Name:	Name:
E - Noted/ NA	☐	☐	HVAC			
		☐	LS			

(2) Remarks: ** Contractor shall provide Project Completion Certificate of previously

ZUHAIR FAYEZ PARTNERSHIP	MINISTRY OF DEFENSE	Art of foundations
CONSULTANT	CLIENT	CONTRACTOR

MATERIAL SUBMITTAL DETAILS
PROJECT NAME

ubmittal No. : DW-MP-EL-DC-016

ITEM NO.	DESCRIPTION	REVIEW / APPROVAL STATUS
1	Fire Alarm	B & C
2	CCTV Camera	B

Reviewer Company Name: ZUHAIR FAYEZ PARTNERSHIP

Main Reviewer's Name: _____ Designation: _____ Signature: _____ Date: _____

Reviewer's Name: Mir Boufeq Ali Designation: Elect. Eng. Signature: Date: 19/12/21

Authorization Lettre

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

CONTEXT PLUS LTD
Progress House, Newby Industrial Estate, Newby Road,
Hazel Grove, Stockport, Cheshire SK7 5DA, England.

Tel. Int: +44 (0)161 257 2541
Fax Int: +44 (0)161 225 8817
Email: sales@contextplus.co.uk
Web: www.contextplus.co.uk

AUTHORISED OVERSEAS DISTRIBUTION

PRODUCTS	**Context Plus Conventional and Intelligent Addressable Fire Alarm detectors, panels and accessories.**
COUNTRY OF MANUFACTURE	**UNITED KINGDOM**
TERRITORY	**Kingdom of Saudi Arabia**
AUTHORISED SALES & SERVICE CENTRE	**Azeidk Establishment for Safety Kilo 5, Old Makkah Road, Jeddah, Saudi Arabia.**
	The staff of Azeidk establishment are fully trained and qualified to program and commission the Context Plus addressable panels. They are capable of providing after sales support for the addressable fire systems of Context Plus Ltd.
WARRANTY	**Against manufacturing defects: 10 years for fire detectors and modules and 2 years for fire panels.**
TERM	**4 Years Renewable by Mutual Agreement.**
COMMENCEMENT	**1st of January 2022**

AUTHORISED OFFICER

DATE: 1st January 2022

CONTEXT PLUS LTD
PROGRESS HOUSE
NEWBY ROAD INDUSTRIAL ESTATE
HAZEL GROVE, STOCKPORT
GREATER MANCHESTER
SK7 5DA
UNITED KINGDOM

CONTEXT PLUS LTD
Progress House, Newby Industrial Estate, Newby Road,
Hazel Grove, Stockport, Cheshire SK7 5DA, England.

Tel. Int: +44 (0)161 257 2541
Fax Int: +44 (0)161 225 8817
Email: sales@contextplus.co.uk
Web: www.contextplus.co.uk

Date: 08/08/2022

Attention: King Faisal Specialist & Research Centre

Project: Supply, installation testing and commissioning of fire alarm system AL-Amoudia for King Faisal Specialist & Research Centre

We would like to inform you that Azeidk for safety is the exclusive sales distribution channel for Context Plus fire alarm systems in the Kingdom of Saudi Arabia.
Azeidk staff are fully trained and qualified to install, program and commission the Context Plus addressable panels. They are well able to provide an excellent after sales support for all Context Plus products.

Signed For and On Behalf of Context Plus Ltd
Stephen Stuart
Export Supervisor

CONTEXT PLUS LTD
PROGRESS HOUSE
NEWBY ROAD INDUSTRIAL ESTATE
HAZEL GROVE, STOCKPORT
GREATER MANCHESTER
SK7 5DA
UNITED KINGDOM

CONTEXT PLUS LTD
Progress House, Newby Industrial Estate, Newby Road,
Hazel Grove, Stockport, Cheshire SK7 5DA, England.

Tel. Int: +44 (0)161 257 2541
Fax Int: +44 (0)161 225 8817
Email: sales@contextplus.co.uk
Web: www.contextplus.co.uk

التاريخ: 2022/08/09

السادة / مستشفى الملك فيصل التخصصى ومركز الابحاث.

تحية طيبة وبعد.....

الموضوع: توريد وتركيب انظمة انذار الحريق فى قرية العمودية لمستشفى الملك فيصل التخصصى ومركز الابحاث

بالإشارة الى الموضوع اعلاه نفيدكم نحن شركة كونتكست بلس المحدودة لصناعة انظمة انذار الحريق – صناعة انجليزية - بأن مؤسسة ازيدك لمعدات السلامة هى الوكيل الحصرى للشركة داخل المملكة العربية السعودية.

وتم تدريب فريق العمل لدى مؤسسة ازيدك على تركيب وبرمجة وصيانة انظمة الانذار على اعلى المستويات ومعتمدين لدى الشركة للقيام بتلك الاعمال.

شركة كونتكست بلس المحدودة

CONTEXT PLUS LTD
PROGRESS HOUSE
NEWBY ROAD INDUSTRIAL ESTATE
HAZEL GROVE, STOCKPORT
GREATER MANCHESTER
SK7 5DA
UNITED KINGDOM

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Shipment Conformity Certificate (Saber)

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

منتج غير خاضع للوائح الفنية

شهادة مطابقة إرسالية للمنتجات المستوردة

Shipment Conformity Certificate for imported products

نقر ونتعهد نحن (..... شركة ازيدك لاجهزة السلامة .....) بأن جميع بيانات المنتجات الموجودة في طلب الإرسالية صحيحة، وأن المنتجات مطابقة للمواصفات القياسية السعودية واللوائح الفنية ذات العلاقة. ونتعهد بتوفير أي ملفات فنية للمنتجات تطلبها الهيئة السعودية للمواصفات والمقاييس والجودة أو من يمثلها لاحقًا، وفي حال تبين عدم صحة ذلك، نتحمل جميع التبعات النظامية المترتبة على ذلك.

Certificate Number	GB-24-1630457	Issue Date	25/11/2024	Expire Date	24/01/2025
Certificate Type	Shipment Conformity Certificate for Imported Products	Commercial Registration No.		4030267410 / 7012025560	
Establishment Address	5065 2 8073-22335 جدة				

Product and Manufacturer Data

Modal Name	FIRE DETECTION AND ALARM EQUIPMENT	Trademark	CONTEXT PLUS
Product Name	CONTEXT PLUS		
Product Description			
Country of origin	United Kingdom		
Production Date			
HS Code	853110000002		
Manufacturer Name	CONTEXT PLUS		
Exporter Name	IMCI SERVICES LTD	Exporter Address	UK

Establishment Stamp



نقر ونتعهد نحن (... شركة ازيدك لاجهزة السلامة ...) بأن المنتج ليس خاضعًا لأى من اللوائح الفنية المعتمدة من الهيئة كما أنه ليس بمنتج دوائي أو غذائي أو زراعي ولا يقع خارج نطاق المنتجات المشمولة باللوائح الفنية والمواصفات القياسية ذات العلاقة المعتمدة من الهيئة.

25/11/2024 00:06

Establishment Manager Signature



منتج غير خاضع للوائح الفنية

شهادة مطابقة إرسالية للمنتجات المستوردة

Shipment Conformity Certificate for imported products

Certificate Number	**GB-24-1630457**	HS Code	**853110000002**
Product Name	**CONTEXT PLUS**	Model Name	**FIRE DETECTION AND ALARM EQUIPMENT**
Quantity	**23217**	Unit	**UNIT**

Product invoices supplement

Invoice Number	Invoice Date	The amount of the item on the invoice	Invoices Currency
15123	**18/09/2024**	**92778.4**	**British Pound**

SASO
سابر
saber

شهادة مطابقة إرسالية للمنتجات المستوردة

Shipment Conformity Certificate for imported products

Certificate Number	GB-24-1630457	HS Code	853110000002
Product Name	CONTEXT PLUS	Model Name	FIRE DETECTION AND ALARM EQUIPMENT
Total Quantities	23217		

Model Number	License Number	Quantity	License Status
CP100RLR	Does not hold a license	500	
Z065040NMXCON	Does not hold a license	100	
Z045040PS	Does not hold a license	300	
58000450IMC	Does not hold a license	5000	
CP450SER	Does not hold a license	1000	
Z085040NM	Does not hold a license	1817	
64824547	Does not hold a license	500	
45681-200IMC	Does not hold a license	5000	
45184060	Does not hold a license	3000	
58000750IMC	Does not hold a license	250	
58200951IMC	Does not hold a license	500	
56000-005IMC	Does not hold a license	5000	
58000650IMC	Does not hold a license	250	

SASO
سابر
saber

تفاصيل الرقم المنسق

رمز النظام المنسق : 853110000002

الصنف بالعربية : اجهزة تنبيه ضد الحريق

الصنف بالإنجليزية : Fire alarms

الخدمات

دليل الخدمة

منشأ المنتج

مستورد

العلامة التجارية

كنتكسة بلص

اسم الموديل

FIRE DETECTION AND ALARM EQUIPMENT

اسم المنتج بالإنجليزية

CONTEXT PLUS

وصف المنتج بالإنجليزي

بلد المنشأ

المملكة المتحدة

اسم الصانع بالإنجليزي

CONTEXT PLUS

1 عنوان الصانع بالإنجليزي







عودة (/ContactOfficer/ImportedFTRequest)

الهيئة السعودية للمواصفات والمقاييس والجودة (V 1.0.0.0) © 2024
تحت إشراف المواصفات السعودية Saudi Standards
تطوير وتشغيل REACH
رؤية VISION 2030 المملكة العربية السعودية KINGDOM OF SAUDI ARABIA
مسجلة لدى Registered on هيئة الحكومة الرقمية Digital Government Authority 20221213359
https://raqmi.dga.gov.sa/platforms/platforms/16f0b27b-f131-4766-b3b3-3d9d766c40e6/platform-license

QIMA

شهادة مطابقة إرسالية للمنتجات المستوردة
Shipment Conformity certificate for imported products

نحن جهة تقويم المطابقة (QIMA Europe) رقم المكتب (06255) نتعهد بان جميع بيانات المنتجات الموجودة في طلب الارسالية مطابق تماما لما ورد في شهادة مطابقة المنتج الممنوحة للمنتج سابقا. ونتعهد بتوفير أي ملفات فنية للمنتجات تطلبها الهيئة السعودية للمواصفات والمقاييس والجودة او من يمثلها لاحقا. وفي حال تبين عدم صحة ذلك نتحمل جميع التبعات النظامية المترتبة على ذلك

Certificate Number	GB-20-0289362	Issue Date	21/10/2020
Certificate Type	Shipment Conformity Certificate for Imported Products	Commercial Registration No	4030267410
Establishment Address	5065 2 8073-22335 جدة	Shipment country	United Kingdom
Product Certificate No.	19117-062-20-216264		

Product and Manufacturer Data			
Model type	FIRE DETECTION AND ALARM EQUIPMENT	Trade Mark	CONTEXT PLUS
Product Name	FIRE DETECTION AND ALARM EQUIPMENT		
Product Description	FIRE DETECTION AND ALARM EQUIPMENT	 	
Country of origin	United Kingdom		
Production Date			
HS Code	853110000002		
Technical Regulation	Technical Regulation for Fire Fighting Equipments and Materials		
Manufacturer name	CONTEXT PLUS		
Manufacturer Address			
Exporter name	IMCI SERVICES LTD	Exporter Address	PROGRESS HOUSE,NEWBy ROAD HAZEL GROVE.STOCKPORT. SK7 5DA

CB Organization Office Responsible manager signature

21/10/2020 06:30

CB Organization Office Stamp

QIMA

شهادة مطابقة إرسالية للمنتجات المستوردة
Shipment Conformity certificate for imported products

نحن جهة تقويم المطابقة (QIMA Europe) رقم المكتب (06255) نتعهد بان جميع بيانات المنتجات الموجودة في طلب الارسالية مطابق تماما لما ورد في شهادة مطابقة المنتج الممنوحة للمنتج سابقا. ونتعهد بتوفير أي ملفات فنية للمنتجات تطلبها الهيئة السعودية للمواصفات والمقاييس والجودة او من يمثلها لاحقا. وفي حال تبين عدم صحة ذلك نتحمل جميع التبعات النظامية المترتبة على ذلك

Certificate Number	GB-20-0289362	Issue Date	21/10/2020
Certificate Type	Shipment Conformity Certificate for Imported Products	Commercial Registration No	4030267410
Establishment Address	5065 2 8073-22335 جدة	Shipment country	United Kingdom
Product Certificate No.	19117-062-20-216263		

Product and Manufacturer Data			
Model type	FIRE ALARM PANEL EQUIPMENT	Trade Mark	CONTEXT PLUS
Product Name	FIRE ALARM PANEL EQUIPMENT		
Product Description		 	
Country of origin	United Kingdom		
Production Date			
HS Code	853120000000		
Technical Regulation	Technical Regulation for Telecommunications Devices		
Manufacturer name	CONTEXT PLUS		
Manufacturer Address			
Exporter name	IMCI SERVICES LTD	Exporter Address	PROGRESS HOUSE,NEWBy ROAD HAZEL GROVE.STOCKPORT. SK7 5DA

CB Organization Office Responsible manager signature

21/10/2020 06:30

CB Organization Office Stamp

شهادة مطابقة إرسالية للمنتجات المستوردة
Shipment Conformity certificate for imported products

نحن جهة تقويم المطابقة (QIMA Europe) رقم المكتب (06255) نتعهد بان جميع بيانات المنتجات الموجودة في طلب الارسالية مطابق تماما لما ورد في شهادة مطابقة المنتج الممنوحة للمنتج سابقا. ونتعهد بتوفير أي ملفات فنية للمنتجات تطلبها الهيئة السعودية للمواصفات والمقاييس والجودة او من يمثلها لاحقا. وفي حال تبين عدم صحة ذلك اتحمل جميع التبعات النظامية المترتبة على ذلك

Certificate Number	GB-20-0334933	Issue Date	25/11/2020
Certificate Type	Shipment Conformity Certificate for Imported Products	Commercial Registration No	4030267410
Establishment Address	5065 2 8073-22335 جدة	Shipment country	United Kingdom
Product Certificate No.	19117-062-20-216264		

Product and Manufacturer Data			
Model type	FIRE DETECTION AND ALARM EQUIPMENT	Trade Mark	CONTEXT PLUS
Product Name	FIRE DETECTION AND ALARM EQUIPMENT		
Product Description	FIRE DETECTION AND ALARM EQUIPMENT		 
Country of origin	United Kingdom		
Production Date			
HS Code	853110000002		
Technical Regulation	Technical Regulation for Fire Fighting Equipments and Materials		
Manufacturer name	CONTEXT PLUS		
Manufacturer Address			
Exporter name	IMCI SERVICES LTD	Exporter Address	HAZEL GROVE,STOCKPORT,SK7 5DA UK

CB Organization Office Responsible manager signature



25/11/2020 05:40

CB Organization Office Stamp



Certificate Number	19117-062-20-216264	HS Code	853110000002
Product Name	FIRE DETECTION AND ALARM EQUIPMENT	Model type	FIRE DETECTION AND ALARM EQUIPMENT
Total quantities	20000.00		

Model Number	License Number	Quantity	License Status
55000-139IMC+45681-200IMC	Does not hold a license	5000	
55000-326IMC+45681-200IMC	Does not hold a license	15000	

سابر saber

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Warranty Letter

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

CONTEXT PLUS LTD
Progress House, Newby Industrial Estate, Newby Road,
Hazel Grove, Stockport, Cheshire SK7 5DA, England.

Tel. Int: +44 (0)161 257 2541
Fax Int: +44 (0)161 225 8817
Email: sales@contextplus.co.uk
Web: www.contextplus.co.uk

Warranty Letter

To Whom it may Concern

This is to confirm that the conventional and addressable system manufactured by CONTEXT PLUS LTD England is warranted against manufacturing defects for a period of 10 years for detectors and 2 years for panels from the date of manufacture provided the manufacturing information label is intact.

On behalf of Context Plus Ltd

Mangala K.D.

Authorised Signatory
08/07/2024

CONTEXT PLUS LTD
PROGRESS HOUSE
NEWBY ROAD INDUSTRIAL ESTATE
HAZEL GROVE, STOCKPORT
GREATER MANCHESTER
SK7 5DA
UNITED KINGDOM

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Spare Parts Letter

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

CONTEXT PLUS LTD
Progress House, Newby Industrial Estate, Newby Road,
Hazel Grove, Stockport, Cheshire SK7 5DA, England.

Tel. Int: +44 (0)161 257 2541
Fax Int: +44 (0)161 225 8817
Email: sales@contextplus.co.uk
Web: www.contextplus.co.uk

Spare Parts Letter

To Whom it may Concern

This is to confirm that the spare parts for the conventional and addressable systems manufactured by CONTEXT PLUS LTD England will be available for the next 10 years in their current or improved versions.

On behalf of Context Plus Ltd

Mangala K. N.

Authorised Signatory
08/07/2024

CONTEXT PLUS LTD
PROGRESS HOUSE
NEWBY ROAD INDUSTRIAL ESTATE
HAZEL GROVE, STOCKPORT
GREATER MANCHESTER
SK7 5DA
UNITED KINGDOM

أزيدك للمقاولات العامة
وأعمال الإلكتروميكانيكال
Azeidk for General Contracting & MEP Solutions

Context Plus

Azeidk Co. Documents.

C.R.4030244617
012 6880407/0581444606
info@azeidk.com
www.azeidk.com

المقر الرئيسي - جدة:
برج الصفا، مقابل عزيز مول، أعلى شركة عبداللطيف جميل، مبنى A، الدور الثالث، مكتب رقم ٣٤٠.
الرياض:
حي الملز، شارع صلاح الدين، بجوار شركة زين، الدور الثاني، مكتب رقم ١٦.

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

وثيقة التأهيل

رقم الوثيقة: ٢٤٥٣٦٢١١٦٢٥

تاريخ إصدار الوثيقة	٢٠٢٤/١٠/٢١م	تاريخ إنتهاء الوثيقة	٢٠٢٥/١٠/٢١م
الاسم التجاري	شركة ازيدك للمقاولات العامه		
رقم السجل التجاري	٤٠٣٠٢٤٤٦١٧	موقعها الرئيسي	جدة
النشاط المرخص	مقاولات الوقاية والحماية من الحريق		
الفئة	مقاولات الوقاية والحماية من الحريق		

تصادق وترخص الهيئة العليا للأمن الصناعي لهذه المنشأة لمزاولة النشاط المذكور في هذه الوثيقة.

*هذه الوثيقة سارية للسجل التجاري الرئيسي وجميع السجلات التجارية الفرعية للمنشأة.

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security





الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رخصة مزاولة نشاط

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

رقم الرخصة : ٢٣٥١٠٠٧٧٣٣٢

الإسم التجاري	شركة ازيدك للمقاولات العامه			
رقم السجل التجاري	٤٠٣٠٢٤٤٦١٧	الرقم الموحد للمنشآت(٧)	٧٠١٤١٢٦٢٦٧	
تاريخ الإصدار	١٤٤٤-٠٦-٢٦	تاريخ الإنتهاء	١٤٤٧-٠٦-٢٦	منطقة مزاولة النشاط	جدة
النشاط المرخص	البيع بالجملة لأجهزة ومعدات ومواد الوقاية والحماية من الحريق			
الأجهزة والمعدات				

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security



* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول





الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رخصة مزاولة نشاط

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

رقم الرخصة : ٢٣٥١٠٠٧٧٣٣٢

الإسم التجاري	شركة ازيدك للمقاولات العامه			
رقم السجل التجاري	٤٠٣٠٢٤٤٦١٧	الرقم الموحد للمنشآت(٧)	٧٠١٤١٢٦٢٦٧	
تاريخ الإصدار	١٤٤٤-٠٦-٢٦	تاريخ الإنتهاء	١٤٤٧-٠٦-٢٦	منطقة مزاولة النشاط	جدة
النشاط المرخص	البيع بالجملة لأجهزة ومعدات ومواد الوقاية والحماية من الحريق			
الأجهزة والمعدات				

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security



* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٥١٣١٠١٦٣٢

الإسم التجاري	شركة ازيدك لاجهزة السلامة				
رقم السجل التجاري	٤٠٣٢٢٦٣١٤١	الرقم الموحد للمنشآت(٧)	٧٠٣١٢٩٩٨٦٥		
تاريخ الإصدار	١٤٤٥-٠٥-٢٧	تاريخ الإنتهاء	١٤٤٨-٠٥-٢٧	منطقة مزاولة النشاط	الطائف
النشاط المرخص	البيع بالتجزئة لمعدات الإطفاء والإنقاذ				
الأجهزة والمعدات					

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
وزارة الداخلية
الهيئة العليا للأمن الصناعي
إدارة التراخيص الأمنية المركزية

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٠٢١٠٧٩٣٦٧

الإسم التجاري	شركة أزيدك لأجهزة السلامة			
رقم السجل التجاري	٤٠٣٠٢٦٧٤١٠	الرقم الموحد للمنشآت(٧)	٧٠١٢٠٢٥٥٦٠	
تاريخ الإصدار	١٤٤٤-٠٨-٠٦	تاريخ الإنتهاء	١٤٤٧-٠٨-٠٦	منطقة مزاولة النشاط	جدة
النشاط المرخص	تركيب وصيانة أجهزة ومعدات الإطفاء			
الأجهزة والمعدات				

تشهد إدارة التراخيص الأمنية المركزية بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

أمين عام الهيئة العليا للأمن الصناعي
عقيد مهندس/ عادل بن زايد العتيبي

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
وزارة الداخلية
الهيئة العليا للأمن الصناعي
إدارة التراخيص الأمنية المركزية

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٠٢٢٠٧٨٤٤٥

الإسم التجاري	شركة أزيدك لأجهزة السلامة			
رقم السجل التجاري	٤٠٣٠٢٦٧٤١٠	الرقم الموحد للمنشآت(٧)	٧٠١٢٠٢٥٥٦٠	
تاريخ الإصدار	١٤٤٤-٠٧-١١	تاريخ الإنتهاء	١٤٤٧-٠٧-١١	منطقة مزاولة النشاط	جدة
النشاط المرخص	تركيب وصيانة أجهزة ومعدات الإنذار من الحريق			
الأجهزة والمعدات				

تشهد إدارة التراخيص الأمنية المركزية بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

أمين عام الهيئة العليا للأمن الصناعي
عقيد مهندس/ عادل بن زايد العتيبي

وزارة الداخلية
الأمانة العامة
الهيئة العليا للأمن الصناعي

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
وزارة الداخلية
الهيئة العليا للأمن الصناعي
إدارة التراخيص الأمنية المركزية

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٥١٠٠٧٧٣٣٢

الإسم التجاري	شركة أزيدك لأجهزة السلامة			
رقم السجل التجاري	٤٠٣٠٢٦٧٤١٠	الرقم الموحد للمنشآت(٧)	٧٠١٢٠٢٥٥٦٠	
تاريخ الإصدار	١٤٤٤-٠٦-٢٦	تاريخ الإنتهاء	١٤٤٧-٠٦-٢٦	منطقة مزاولة النشاط	جدة
النشاط المرخص	البيع بالجملة لأجهزة ومعدات ومواد الوقاية والحماية من الحريق			
الأجهزة والمعدات				

تشهد إدارة التراخيص الأمنية المركزية بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

أمين عام الهيئة العليا للأمن الصناعي

عقيد مهندس/ عادل بن زايد العتيبي

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٤٥٠٦١١١٧٢٣

الإسم التجاري	شركة أزيدك لاجهزة السلامة			
رقم السجل التجاري	٤٠٣٠٥٥٣١٦٧	الرقم الموحد للمنشآت(٧)	٧٠٣٨٨٧٧١٤٣	
تاريخ الإصدار	١٤٤٥-١٠-٢٨	تاريخ الإنتهاء	١٤٤٨-١٠-٢٨	منطقة مزاولة النشاط	جدة
النشاط المرخص	تركيب وصيانة الأجهزة الأمنية			
الأجهزة والمعدات	كاميرات المراقبة الأمنية, أنظمة الدوائر التليفزيونية المغلقة, أجهزة وأنظمة الإنذار ضد السرقة, أجهزة وبوابات الكشف عن المعادن, أجهزة تفتيش الحقائب والطرود, أجهزة بوابات الدخول والخروج بالبطاقات الممغنطة والبصمة, السياج الأمني			

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٥١٣١٠١٦٣٢

الإسم التجاري	شركة ازيدك لاجهزة السلامة				
رقم السجل التجاري	٤٠٣٢٢٦٣١٤١	الرقم الموحد للمنشآت(٧)	٧٠٣١٢٩٩٨٦٥		
تاريخ الإصدار	١٤٤٥-٠٥-٢٧	تاريخ الإنتهاء	١٤٤٨-٠٥-٢٧	منطقة مزاولة النشاط	الطائف
النشاط المرخص	البيع بالتجزئة لمعدات الإطفاء والإنقاذ				
الأجهزة والمعدات					

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
الهيئة العليا للأمن الصناعي

الهيئة العليا للأمن الصناعي
High Commission For Industrial Security

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٠٢٢١٠٢٠٠٣

الإسم التجاري	شركة ازيدك لاجهزة السلامة				
رقم السجل التجاري	٤٠٣٢٢٦٣١٤١	الرقم الموحد للمنشآت(٧)	٧٠٣١٢٩٩٨٦٥		
تاريخ الإصدار	١٤٤٥-٠٦-٠١	تاريخ الإنتهاء	١٤٤٨-٠٦-٠١	منطقة مزاولة النشاط	الطائف
النشاط المرخص	تركيب وصيانة أجهزة ومعدات الإنذار من الحريق				
الأجهزة والمعدات					

تشهد الهيئة العليا للأمن الصناعي بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

المملكة العربية السعودية
وزارة الداخلية
الهيئة العليا للأمن الصناعي
إدارة التراخيص الأمنية المركزية

رؤية VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

رخصة مزاولة نشاط

رقم الرخصة : ٢٣٥١١٠٨٢٧٠٨

الإسم التجاري	شركة أزيدك لاجهزة السلامة			
رقم السجل التجاري	٢٠٥٠١٦٨٠٢٥	الرقم الموحد للمنشآت(٧)	٧٠٣٣٨١٠٣٦٢	
تاريخ الإصدار	١٤٤٤-٠٩-٢٠	تاريخ الإنتهاء	١٤٤٧-٠٩-٢٠	منطقة مزاولة النشاط	الدمام
النشاط المرخص	البيع بالتجزئة لأجهزة ومعدات ومواد الوقاية والحماية من الحريق			
الأجهزة والمعدات				

تشهد إدارة التراخيص الأمنية المركزية بأن المنشأة الموضحة أعلاه قد أستوفت كافة الإجراءات والإشتراطات النظامية لمزاولة النشاط الموضح أعلاه وقد أصدرت لها هذه الرخصة كمنشأة مصرح لها لمزاولة النشاط المذكور.

أمين عام الهيئة العليا للأمن الصناعي

عقيد مهندس/ عادل بن زايد العتيبي

وزارة الداخلية - الأمانة العامة - الهيئة العليا للأمن الصناعي

* للتحقق من صلاحية الرخصة الرجاء الدخول على منصة الهيئة العليا للأمن الصناعي https://hcis.gov.sa
* يتطلب وجود النشاط في السجل التجاري المذكور أعلاه، على ان يكون السجل التجاري ساري المفعول

وزارة الشؤون البلدية والقروية والإسكان
Ministry of Municipal Rural Affairs & Housing

بلدي balady

رقم الشهادة 2022030862

تاريخ الاصدار 2022/04/25

اعتماد*

شهادة اعتماد
تصنيف مقدمي خدمات المدن

تمنح وزارة الشؤون البلدية والقروية والاسكان شهادة الاعتماد*

للمنشأة	مؤسسة ازيدك للمقاولات العامه

في قطاع التشييد والبناء

السجل التجاري	4030244617
النشاط	الإنشاءات العامة للمباني السكنية,الإنشاءات العامة للمباني الغير السكنية ، يشمل,(المدارس ، المستشفيات، الفنادق ...الخ)الإنشاءات العامة للمباني الحكومية,ترميمات المباني السكنية والغير سكنية

- يسري مفعول هذه الشهادة حتى تاريخ 04/10/1444 هـ / الموافق 25/04/2023 م
- تصدر هذه الشهادة الكترونياً وعلى الجهات المالكة للمشاريع التحقق من الشهادة المقدمة من خلال موقع الوزارة

وكيل الوزارة لتصنيف المقاولين
د. أحمد بن جميل قطان

تصنيف
مقدمي خدمات المدن

* هذه الشهادة منحت بغرض اصدار وثيقة التأمين ضد العيوب الخفية و الدخول في المنافسات الحكومية الأقل من قيمة مشاريع الدرجة الخامسة.

وزارة الشؤون البلدية والقروية والإسكان
بلدي balady
تنظيم مشغلي المدن

شهـــادة

تصنيف مقدمي خدمات المدن

تمنح وزارة الشؤون البلدية والقروية والإسكان شهادة تصنيف بالدرجة

الدرجة الأولى

للمنشأة: شركة ازيدك للمقاولات العامه

بيانات المنشأة

الرقم الوطني الموحد/ الترخيص	تاريخ إصدار السجل التجاري/ الترخيص	اسم مالك المنشأة	نوع المنشأة	جنسية المنشأة	رأس المال
7014126267	15/04/2013	غازي جابر درويش القحطاني	ذات مسئولية محدودة	سعودي	100000.0

بيانات شهادة التصنيف

رقم الشهادة	تاريخ الإصدار	درجة التقييم الائتماني	درجة التقييم الفني
2024005747	29/05/2024	BBB+	88.55

أنشطة شهادة التصنيف

المجال	الأنشطة
التشييد والبناء	الإنشاءات العامة للمباني السكنية,الإنشاءات العامة للمباني الغير السكنية ، يشمل,(المدارس ، المستشفيات، الفنادق ...الخ) الإنشاءات العامة للمباني الحكومية, ترميمات المباني السكنية والغير سكنية

- يسري مفعول هذه الشهادة حتى تاريخ 29/05/2026
- تصدر هذه الشهادة الكترونيا وعلى الجهات المالكة للمشاريع التحقق من الشهادة المقدمة من خلال موقع الوزارة.

وكيل الوزارة لتنظيم مشغلي المدن
عبدالرحمن بن أحمد العريني